

CHILLER WITH COPELAND CENTRIFUGAL COMPRESSOR



Partner In india:

BLUEBIRD COOLING SOLUTIO www.bluebirdcooling.com

ECCLACF 240 to 600 tons Volts 220 / 460 / 380 50 - 60 Hz

- Centrifugal compressor
- Fan Motor



HEAT RECOVERY AND HEAT PUMP

4 in One
Chiller Inverter
Capacity 0.5 to 600 ton

ECCLAHP

Heat Recovery & Heat Pump

0.5 to 600 tons

Volts 220 / 460 / 380

50 - 60 Hz

- Scroll, Screw & Semi-hermetic Compressors
- Air Cooled & Water Cooled Chiller
- Heat Pump Water to Air Heat Pump
- Water to water Heat Recovery Reclaim

Titanium options*





AIR COOLED SCROLL CHILLERS



ECTLA

3 to 350 tons Volts 220 / 460 / 380 50 - 60 Hz

- Scroll Compressor ■ EC Fans Motors
- COPELAND











AIR COOLED SCREW CHILLERS



AIR COOLED SEMIHERMETIC CHILLERS



ECCLASH

10 to 207 tons Volts 220 / 460 / 380 50 - 60 Hz

- **Semihermetic Compressors**
- **EC Fans Motors**













AIR HANDLERS UNITS



DRY COOLERS

Partner In india:

BLUEBIRD COOLING SOLUTION www.bluebirdcooling.com



ECCDC

5 to 250 tons
Volts 220 / 460 / 380
Aluminium Microchannel
Copper/ Aluminum or Copper/Copper condensers

- Reduced operating cost
- EC Fans Motors



INVERTER CHILLERS



ECTLA Scroll Inverter

3 to 350 tons Volts 220 / 460 / 380 50 - 60 Hz

- **Scroll Compressor**
- Speed Drive VFD





ECCLASH Semi-hermetic Inverter

10 to 350 tons Volts 220 / 460 / 380 50 - 60 Hz

- **Semi-hermetic Compressor ■ Speed Drive VFD**
- **EC Fans Motors**













60 to 600 tons Volts 220 / 460 / 380 50 - 60 Hz

- **Screw Compressor ■ Speed Drive VFD**
- **FC Fans Motors**











ECOCHILLERS | NANO CHILLERS |



CONDENSING UNITS

Scroll | Semihermetic Condensing Unit

ECTCUA Y ECCCUASH

1 to 250 tons Volts 220 / 460 / 380 50 - 60 Hz

- Reduced operating cost
- Plates Heat Exchanger





Custom Dx difuser

ECTFRCUA

12.5 to 200 tons Volts 220 / 460 / 380 50 - 60 Hz

Ziehl Abegg ECM Axial FanAluminium microchannel



REMOTE CONDENSERS



These remote condensers offer robust performance, energy efficiency. and extensive customization options, making them the ideal solution for industrial and commercial cooling applications.

Kev Features:

- ECM Fans (900mm): High-efficiency electronically commutated motors (ECM)
- ensure reduced energy consumption and optimal airflow.
- ☑ BACnet & Modbus Communication: Fully compatible
- with BACnet or Modbus protocols for seamless integration into any building management system.
- ☑ Universal Refrigerant Compatibility: Designed to work
- with any type of refrigerant, ensuring maximum flexibility for different applications.
- Check Valves Included: Integrated check valves for improved system performance and reliability. Anti-Corrosion Protection (Optional): Additional protective
- coating available for condensers and piping to enhance durability in harsh environments.
- Screw Material Options: Standard galvanized screws with an
- option for stainless steel for increased corrosion resistance.
- Carel Touchscreen Controller: Advanced Carel touchscreen controller, pre-configured for communication with any type of compressor, providing intuitive operation and precise system monitoring.

ECCRC Y ECTRC

30 to 300 tons Volts 220 / 460 / 380 50 - 60 Hz



■ High quality copper / copper condenser

■ Carel electronic expansion valve

■ Anticorrosive coating coils

WATER COOLED CHILLERS



60 to 600 tons Volts 220 / 460 / 380 50 - 60 Hz

- **Scroll Compressor**
- Electronic oil sensor



COPFLAND

■ Shell and Tube Heat Exchanger Serviceable Reparable



ECCLWSC

60 to 600 tons Volts 220 / 460 / 380 50 - 60 Hz

- Screw Compressor ■ Electronic oil sensor







Optional VFD







SOLAR INVERTER CHILLERS



ECTLA Solar Inverter

3 to 600 tons Volts 220 / 460 / 380 50 - 60 Hz

- Scroll, Screw & Semi-hermetic Compressors Air Cooled & Water Cooled
- **Speed Drive VFD**
- **EC Fans Motors**
- Solar panels









Save up to 70% of KW





Partner In india:



BLUEBIRD COOLING SOLUTION www.bluebirdcooling.com